

Nanoscale Advancements in Food Authentication and Safety: Integrating Green Analytical Chemistry and Advanced Biosensing Technologies

Mrinmoyee Sarkar

Department of Food Science and Biotechnology, University of British Columbia, Canada

Received: 03 November 2025; **Accepted:** 02 December 2025; **Published:** 31 December 2025

Abstract: The global integrity of the food supply chain is increasingly threatened by sophisticated food fraud, contamination, and the erosion of consumer confidence. As traditional analytical methodologies struggle to balance high throughput with precision and environmental sustainability, nanotechnology has emerged as a cornerstone of modern food safety research. This article provides a critical, in-depth examination of the role of nanomaterials-including gold nanoparticles, graphene-based derivatives, and essential oil nanoemulsions-in the detection of food adulterants and pathogens. By synthesizing contemporary research in biosensing, surface-enhanced Raman spectroscopy (SERS), and greener sample extraction techniques, this study elucidates the mechanisms through which nanotechnology enhances sensitivity, selectivity, and speed in food analysis. Furthermore, the review explores the theoretical framework of "greener" food analysis, addressing the imperative to minimize chemical waste while maximizing diagnostic accuracy. Through a nuanced analysis of the literature, the article highlights the transition from laboratory-scale prototypes to scalable, real-time monitoring solutions for dairy, oils, and perishable products. While the diagnostic potential of these technologies is profound, the discussion also identifies critical challenges, including nanomaterial toxicity, standardization of regulatory protocols, and the need for robust, field-deployable architectures. The findings underscore that the future of food security lies in the synergistic integration of nanotechnology, aptamer-based biosensors, and digital data analysis, providing a pathway toward a transparent and resilient global food system.

Keywords: Food Fraud, Nanobiosensors, Green Analytical Chemistry, SERS, Food Safety, Graphene, Nanoemulsions.

Introduction: Food fraud represents a multifaceted public health and economic threat, characterized by the deliberate adulteration, mislabeling, or substitution of food products for illicit gain (Spink & Moyer, 2011). In sectors such as dairy, where milk quality is dictated by complex biochemical markers, the presence of contaminants-whether accidental or intentional-poses severe risks to human health (Poonia et al., 2017). Common adulterants, ranging from preservatives like formaldehyde to bulking agents like melamine, are often difficult to detect using conventional techniques due to the sophistication of contemporary fraudulent strategies (Singh & Gandhi, 2015; Azad & Ahmed, 2016). The problem is compounded by the global nature of supply chains, where the decentralization of production makes uniform monitoring exceptionally

difficult (Fischer et al., 2011).

Traditional detection methods, such as Enzyme-Linked Immunosorbent Assay (ELISA) and various spectroscopic approaches, often suffer from significant limitations, including high costs, the need for extensive sample preparation, and a lack of portability (Dvorak et al., 2016). Furthermore, the reliance on harsh chemicals for extraction processes contradicts the growing global push toward "green" analytical chemistry. There is a documented literature gap concerning the transition from theoretical nanomaterial potential to practical, environmentally benign, and cost-effective application in the food industry (Sharma et al., 2022).

Nanotechnology offers a transformative solution by

enabling the manipulation of materials at a scale that allows for the creation of sensors with unprecedented responsiveness. The unique properties of noble metal nanoparticles, carbon dots, and aptamer-functionalized surfaces allow for the precise identification of chemical signatures that were previously obscured by the complexities of food matrices (Agarwal et al., 2025; Farag et al., 2021). This article aims to provide a comprehensive, theory-driven review of these advancements, positioning them within the context of green analytical chemistry and the imperative for sustainable food quality assurance. By exploring the underlying physics and chemistry of nanomaterial-based sensors, we aim to establish a framework for future research that prioritizes both safety and sustainability.

METHODOLOGY

The methodology utilized in this study is based on a descriptive, critical, and systematic synthesis of existing literature to provide a theoretical framework for nanotechnological food analysis. The research began with the categorization of recent scholarly outputs according to their core diagnostic function: chemical detection (adulterants), pathogen identification, and preservative efficacy. The analysis deliberately excludes simplistic summarization, focusing instead on the theoretical underpinnings of why specific nanomaterials succeed where traditional methods fail.

The review process involved an evaluation of sample extraction and preparation techniques. Special focus was placed on the shift toward greener analytical practices, which seek to minimize the use of toxic solvents by employing nanomaterials for more efficient analyte enrichment (El-Maghrabey et al., 2022). This involves explaining how high surface-area-to-volume ratio materials allow for targeted adsorption of contaminants, thereby simplifying the upstream processing required for accurate testing.

Furthermore, the methodology includes a detailed exploration of biosensing mechanisms, particularly the application of aptamers-single-stranded DNA or RNA molecules that fold into specific three-dimensional shapes to bind targets with high affinity. The comparative analysis of these systems against traditional antibody-based assays allowed for an evaluation of stability, shelf life, and environmental robustness (Guo et al., 2020). The research also considered the theoretical basis of surface-enhanced Raman spectroscopy (SERS), describing the interaction between plasmonic nanoparticles and incident light, which facilitates the amplified detection of molecular vibrations at trace concentrations (Zhou et al., 2021). By mapping these technical descriptions against the

requirements of industrial food safety, the methodology constructs a coherent analysis of the state-of-the-art while simultaneously identifying the technical hurdles that prevent universal implementation.

RESULTS

The integration of nanotechnology into food safety workflows has yielded significant improvements in sensitivity and specificity. The research highlights that gold nanoparticles are exceptionally effective in detecting melamine in milk through simple colorimetric changes. These color shifts arise from the aggregation of particles in the presence of an adulterant, which effectively transduces a chemical presence into a visual, semi-quantitative result (Kumar et al., 2014; Agarwal et al., 2025). This portability is a critical result for real-time monitoring.

Furthermore, the application of essential oil nanoemulsions has shown profound efficacy as eco-friendly preservatives. By encapsulating active antimicrobial compounds at the nanoscale, these emulsions demonstrate an enhanced ability to penetrate microbial membranes, thereby preventing food spoilage and toxin secretion while maintaining the nutritional integrity of the food (Maurya et al., 2021). This approach not only provides safety but also aligns with the consumer demand for "clean label" products that minimize the use of synthetic chemicals.

Advanced SERS-based quantitative analysis has emerged as a powerhouse for safety detection. By utilizing ultrasonication-induced self-assembled nanogap arrays, researchers can create hotspots that significantly enhance the electromagnetic fields around target molecules, allowing for the detection of pathogens and chemical residues at levels previously unattainable with standard infrared spectroscopy (Nam et al., 2019; Zhou et al., 2021). This enhancement is coupled with the use of fluoro-functionalized graphene, which acts as a highly sensitive nanosensor for detecting biogenic amines-compounds that serve as critical markers for fish and meat spoilage (Rouhani, 2019).

Finally, the results indicate that the trend toward greener sample extraction is not just theoretical. The literature confirms that using nanomaterials as adsorbents can reduce the volume of solvent required for extraction by several orders of magnitude (Sharma et al., 2022). This advancement is essential for making food safety testing more sustainable, less hazardous for laboratory personnel, and more applicable to the constraints of field settings where large-scale chemical waste disposal is not feasible.

DISCUSSION

The rapid progression of nanotechnology in food safety raises fundamental questions about the future of global food security. A significant portion of this research points to the potential of aptamer-based biosensors. Unlike biological antibodies, which require rigorous cold-chain management and are prone to denaturation, aptamers are chemically stable and can be synthesized to recognize a vast array of toxins, including mycotoxins (Guo et al., 2020). However, the discussion must address the challenges of "matrix interference." In complex food samples-such as high-fat dairy or processed vegetable oils-the presence of competing molecules can mask the signals that nanosensors are designed to detect. Overcoming this requires the development of highly selective, functionalized interfaces that can operate effectively amidst the noise of the food matrix.

A critical limitation discussed in the literature is the environmental and toxicological impact of engineered nanomaterials. While the utility of silver nanoparticles for antimicrobial packaging is undeniable, the potential for long-term ingestion and accumulation within the human body remains a focal point of debate (Rincon, 2019). The industry faces the dual challenge of ensuring product safety while also proving that the safety-monitoring technology itself does not introduce new risks. This underscores the necessity for rigorous, standardized toxicological testing that reflects real-world consumption patterns rather than just laboratory exposures.

Furthermore, the theoretical shift toward "green" sample extraction is hampered by the lack of large-scale infrastructure. While nanotechnology enables the use of smaller amounts of chemicals, the production of these high-performance nanomaterials can itself be energy-intensive. A truly "green" approach must evaluate the entire life cycle of the sensor, from initial synthesis to final disposal. Future scope in this area includes the use of bio-based nanomaterials derived from food waste, creating a circular economy for food safety instrumentation.

The integration of these technologies into the "Internet of Things" framework is the logical next step. With portable sensors capable of transmitting data via Bluetooth or NFC to mobile devices, the barrier between analytical laboratories and the consumer is dissolving. However, the limitation of such a transition lies in the lack of digital standardization. For a "smart" food system to work, there must be a global, interoperable standard for data interpretation, ensuring that a sensor reading in one country is interpreted with the same accuracy and legal weight as one in another.

Finally, we must address the "counter-argument" of cost. Critics often point out that traditional testing, despite its slowness, is cheaper per sample in high-volume settings. The argument against this is that the "hidden cost" of traditional testing includes the economic losses from spoilage, potential public health crises from undetected outbreaks, and the loss of consumer trust. Nanotechnological sensing, by providing early and continuous monitoring, effectively shifts the cost-benefit analysis in favor of proactive rather than reactive safety measures.

CONCLUSION

The application of nanotechnology to food safety and authentication is a paradigm shift that promises to redefine our relationship with food. By leveraging the unique physical and chemical properties of nanomaterials, we have unlocked new capabilities for detecting adulteration, identifying spoilage, and ensuring that our food supply is safe, sustainable, and authentic. The research presented in this article demonstrates that while challenges regarding toxicity, regulation, and standardization remain, the trajectory of the field is overwhelmingly positive.

The future of food safety rests on the successful integration of these advanced materials with green analytical chemistry principles. By minimizing waste and maximizing diagnostic precision, we are creating a more transparent global food system. As we advance, the focus must remain on the synergy between material science and digital analytics. With the continued development of aptamer-based biosensors and high-sensitivity platforms like SERS, we are moving toward a future where food safety is not just a regulatory hurdle, but an intrinsic, measurable quality of every product that reaches the consumer's plate. The ultimate goal remains a food-secure world where innovation and ethics converge to protect global public health.

REFERENCES

1. Agarwal, R., Harini, P., Sri Varshni, J. (2025). New Insights on Nano Biosensors Applications for Chemical and Adulterant in Foods. In: Sillu, D., Bey Hing, G., Akhtar, N. (eds) Nanobiosensors for the Food Industry. Smart Nanomaterials Technology. Springer, Singapore. https://doi.org/10.1007/978-981-95-0136-6_9
2. Almoselhy, R. I. (2023). Nanotechnology in Food Systems with Applications in Oils and Fats.
3. Azad, T., & Ahmed, S. (2016). Common milk adulteration and their detection techniques. International Journal of Food Contamination.
4. Dvorak, L., Mlcek, J., & Sustova, K. (2016).

- Comparison of FT-NIR spectroscopy and ELISA for detection of adulteration of goat cheeses with cow's milk. *Journal of AOAC International*.
5. El-Maghrabey, R. N., Garg, D., Singh, D., Sharma, R., Verma, N., Bhari, R., & Asadnia, M. (2022). Applications of nanomaterials for greener food analysis. In *Green Chemistry in Analytical Sample Preparation*.
 6. Farag, M. A., Tanios, M., AlKarimy, S., Ibrahim, H., & Guirguis, H. A. (2021). Biosensing approaches to detect potential milk contaminants: a comprehensive review. *Food Additives & Contaminants: Part A*.
 7. Fischer, W. J., Schilter, B., Tritscher, A. M., & Stadler, R. H. (2011). Contaminants of milk and dairy products: contamination resulting from farm and dairy practices. *Encyclopedia of Dairy Sciences*.
 8. Guo, X., Wen, F., Zheng, N., Saive, M., Fauconnier, M., & Wang, J. (2020). Aptamer-Based biosensor for detection of mycotoxins. *Frontiers in Chemistry*.
 9. Kumar, N., Seth, R., & Kumar, H. (2014). Colorimetric detection of melamine in milk by citrate-stabilized gold nanoparticles. *Analytical Biochemistry*.
 10. Maurya, A., Singh, V. K., Das, S., Prasad, J., Kedia, A., Upadhyay, N., Dubey, N. K., & Dwivedy, A. K. (2021). Essential Oil Nanoemulsion as Eco-Friendly and Safe Preservative: Bioefficacy against microbial food deterioration and toxin secretion, mode of action, and future opportunities. *Frontiers in Microbiology*.
 11. Nam, N. N., Bui, T. L., Son, S. J., & Joo, S. (2019). Ultrasonication-Induced Self-Assembled Fixed Nanogap Arrays of Monomeric Plasmonic Nanoparticles inside Nanopores. *Advanced Functional Materials*.
 12. Poonia, A., Jha, A., Sharma, R., Singh, H. B., Rai, A. K., & Sharma, N. (2017). Detection of adulteration in milk: a review. *International Journal of Dairy Technology*.
 13. Rincon, A. M. (2019). Presence of nanomaterials on consumer products: food, cosmetics, and drugs, exposure to engineered nanomaterials in the environment. Elsevier Inc.
 14. Rouhani, M. (2019). Fluoro-functionalized graphene as a promising nanosensor in detection of fish spoilage: a theoretical study. *Chemical Physics Letters*.
 15. Sciences, M., & Ganguly, S. (2014). Recent Technological Advancements in Food Packaging: A Review.
 16. Sharma, H. R., Verma, N., Singh, M., & Asadnia, M. (2022). Application of nanomaterials for greener sample extraction. In *Green Chemistry in Analytical Sample Preparation*.
 17. Singh, P., & Gandhi, N. (2015). Milk preservatives and adulterants: processing, regulatory and safety issues. *Food Reviews International*.
 18. Spink, J., & Moyer, D. C. (2011). Defining the public health threat of food fraud. *Journal of Food Science*.
 19. Zhou, H., Li, X., Wang, L., Liang, Y., Jialading, A., Wang, Z., & Zhang, J. (2021). Application of SERS quantitative analysis method in food safety detection. *Reviews in Analytical Chemistry*.