International Journal of Medical Sciences And Clinical Research

METADATA

INDEXING

(ISSN – 2771-2265)

VOLUME 02 ISSUE 11 PAGES: 12-18

SJIF IMPACT FACTOR (2021: 5.694) (2022: 5.893)

Google

OCLC – 1121105677 METADATA IF – 5.654

SCrossref 😡 😒





Journal Website: https://theusajournals. com/index.php/ijmscr

Copyright: Original content from this work may be used under the terms of the creative commons attributes 4.0 licence.



COMPARATIVE EVALUATION OF IMMUNOLOGICAL PARAMETERS OF LABORATORY ANIMALS WITH THYMUS AUTOIMPLANTATION IN THE DYNAMICS OF OBSERVATION

🌀 WorldCat[®] 👧 MENDELEY

Submission Date: October 25, 2022, Accepted Date: October 30, 2022, Published Date: November 08, 2022 Crossref doi: https://doi.org/10.37547/ijmscr/Volume02lssue11-03

Akhmedov A.T. Bukhara State Medical Institute, Uzbekistan

ABSTRACT

The paper presents the results of a comprehensive immunomorphological study during autoimplantation of the thymus. An experimental study was carried out on rabbits of the Chinchilla breed by modeling thymectomy followed by auto implantation. Correlation relationships of clinical and immunological parameters in the experiment were revealed.

KEYWORDS

Congenital heart defects, thymus, cellular immunity, auto implantation, correlation

INTRODUCTION

To date, congenital heart defects (CHD) in children remain one of the causes of disability and mortality among children. The most common among children are ventricular septal defect in 28.3% of cases, atrial septal defect in 10.3%, pulmonary artery stenosis in 9.8%, tetralogy of Fallot in 9.7%, aortic stenosis in 7.1%, coarctation aorta in 5.1% and transposition of the great vessels in 4.9% of cases. There are also hypoplastic tricuspid valve syndrome, open ductus arteriosus, complete abnormal venous return [1,9,10].

The issue of adaptive capabilities, tactics of long-term observation and rehabilitation of children with congenital heart defects is debatable [10]. CHD in

International Journal of Medical Sciences And Clinical Research (ISSN – 2771-2265) VOLUME 02 ISSUE 11 PAGES: 12-18 SJIF IMPACT FACTOR (2021: 5. 694) (2022: 5. 893) OCLC – 1121105677 METADATA IF – 5.654 Crossref O SG Google MetaData Science Source MetaData ULURE 1 Publisher: Oscar Publishing Services

children is complicated by a decrease in the rate of physical development, which requires constant monitoring [7,8]. Currently, the correction of the most common congenital heart defects in children can be carried out by two main methods: open surgery and endovascular procedures [3,9,11,17].

Lymphocytes are responsible for the maintenance of genetic homeostasis in the body through the development of specific immunity and the implementation of immune surveillance. The primary differentiation of null lymphocytes occurs in the main organs of immunity, where these cells turn into T- and B-lymphocytes. T-lymphocytes are responsible for cellular immunity, and B-lymphocytes for humoral immunity, by producing antibodies [1,2,4,15,16].

Approximately 75% of the total number of lymphocytes circulating in the blood and lymph are T-lymphocytes, while the proportion of B-lymphocytes is approximately 15%, and 10% are cells that do not belong to any of the above groups [2,12,14].

The degree of resistance of animals to diseases is determined by the level of natural resistance, which is directly dependent on age, season, conditions of feeding and keeping [1,2,13].

One of the main cells of adaptive immunity are Tlymphocytes. The population of T-lymphocytes have heterogeneous properties. Most of them are formed in the thymus. The thymus gland, as the central organ of immunity, conducts antigen-independent differentiation of T cells. It should be noted that the thymus gland is extremely sensitive to various exogenous and endogenous influences, especially in childhood. The impact of the above factors will lead to a violation of the structure of the thymus gland and, as a result, its function, which causes dysfunction of the immune system as a whole [2,3,6,11]. Purpose of the study: to also evaluate the correlation between the indicators of immunity and physical development in laboratory animals with autoimplantation in the dynamics of the postoperative period.

Materials and methods:

Experimental studies were carried out in two stages: the first stage was the modeling of thymectomy in 1-2 groups in compliance with all the rules of asepsis and antisepsis. Under general anesthesia, Calypsol solution was intramuscularly injected at the rate of 6-8 mg/kg. After anesthesia, the rabbits were fixed on the operating table without stretching. Previously, depilation and 3-time treatment with an antiseptic (1% alcohol solution of iodine) of the surgical field was performed.

Further, along the anterior midline, a skin incision was made with dissection of the fascia and periosteum of the sternum. Access to the fatty tissue of the mediastinum was created by dividing the sternal part of the diaphragm and the opposite surface of the sternum. The sternum was dissected in stages, all over. In order to stop bleeding from the edges of the sternum, surgical (sterile) wax was rubbed. After the end of the sternotomy, the thymus was found. Next, a thymectomy was performed, the thymus was removed bluntly. After removal of the thymus, autoimplantation of 1/3 of the organ was performed on the pericardium in the projection of the right atrium, adjacent to fatty tissue for better engraftment and vascularization of the organ [63; With. fourteen]. The autoimplant was fixed with 5.0 Vicryl suture. Hemostasis, the edges of the sternum were closed with titanium sutures.

When working with laboratory animals, all the rules of biological safety and ethical principles of working with laboratory animals were observed International Journal of Medical Sciences And Clinical Research (ISSN – 2771-2265) VOLUME 02 ISSUE 11 PAGES: 12-18 SJIF IMPACT FACTOR (2021: 5. 694) (2022: 5. 893) OCLC – 1121105677 METADATA IF – 5.654 Crossref O SG Google MetaData Science Source Contents of Mendeley



Publisher: Oscar Publishing Services

Immunological studies, were held at the Institute of Immunology and Human Genomics of the Academy of Sciences of the Republic of Uzbekistan (Tashkent).Tlymphocytes were determined by ELISA: young thymocytes (CD3+-, CD4+-, CD8+-)-participating in antigen-independent differentiation of T-cells, natural killers (EK-CD16+-), lymphocytes of early (CD25+-) and late activation (CD95+-).

To study the relationship of physical growth and development with immunity indicators, we conducted a correlation analysis based on the data obtained during the pilot study. Communication criteria were assessed on the Chaddock scale, with:

- 0.1 < r < 0.3: weak connection;
- 0.3 < r < 0.5: moderate association;
- 0.5 < r < 0.7: significant relationship;
- 0.7 < r < 0.9: high association;
- 0.9 < r < 1: very high association.

Results and discussion:

The condition of rabbits with autoimplantation was monitored, weight, volume of food consumed and coat density were measured weekly. At the same time, to study the state of the thymus, an analysis of cellular immunity was performed.

For comparison with the control group and rabbits of the 2nd group (with thymectomy), a correlation analysis of immunity parameters with indicators of physical growth and development of rabbits of the 1st group was carried out. In contrast to the data obtained from the correlation analysis of the 2nd group, in rabbits of the 1st group, a moderate negative relationship was revealed between the weight index and CD3+ lymphocytes - r=-0.39 and a noticeable positive relationship between motor activity and CD3+ lymphocytes - r= 0.60.

relationships Noticeable negative were also established between CD4+-lymphocytes and weight (r-0.51), volume of feed consumption (r=-0.42) and coat density (r=-0.364). And the motor activity of rabbits has a noticeable positive relationship with CD4+ lymphocytes (r=0.49). At the same time, an interesting fact was obtained confirming the positive dynamics of the state after autoimplantation: weekly weight gain has a weak positive relationship with the level of CD3+and CD4+-lymphocytes, there is no connection with suppressors (CD8+-lymphocytes). At the same time, weak negative relationships were found between CD8+-lymphocytes and the volume of feed consumption -r=-0.27 and wool density r=-0.208. Motor activity in rabbits of the 1st group has a high positive relationship with CD8+-lymphocytes -r=0.62.

CD16+-lymphocytes responsible for transplantation immunity showed a high positive relationship with the weekly weight gain of rabbits (r=0.96) and wool density (r=0.92), as well as a high negative relationship with weight indicators (r=-0.84), physical activity (r=-0.87) and feed consumption (r=-0.89). The relationships obtained make it possible to predict graft healing based on weekly weight gain and coat density in rabbits. At the same time, a decrease in motor activity and food intake confirms the unfavorable outcome of thymus autoimplantation (Fig. 1.).





Rice. 1. Correlation relationship between immunity and physical development indicators in rabbits with auto implantation

CD25+ cells, as markers of early activation, show the process of healing or graft rejection. The study found a high positive relationship of CD25+-cells with weight and feed intake in rabbits with auto implantation (group 1), r=0.75 and r=0.68, respectively. At the same time, a peculiarity in the development of the early stage of the inflammatory process was revealed, which affects the condition of the coat and weight gain in rabbits, which confirms the presence of a negative high correlation between CD25+-lymphocytes and coat density -r= -0.634, between CD25+-lymphocytes and weekly weight gain - r= -0.52.

CD95+ cells are important in controlling the functioning of the immune system and show a process

of apoptosis-cell death. A decrease in their concentration in the blood makes it possible to predict the recurrence or chronicity of the inflammatory process. And an increase in the level of CD95+-cells confirms the development of sepsis and viral diseases.

In the course of the correlation analysis, a high positive relationship of CD95+ cells with weekly weight gain was established - r=0.74. At the same time, a noticeable negative relationship was found between CD95+-cells and feed intake - r=-0.59 and the density of rabbit hair - r=-0.65. The data obtained prove the possibility of predicting the outcome of auto implantation according to the condition of the coat and food intake in rabbits of the 1st group.

International Journal of Medical Sciences And Clinical Research (ISSN – 2771-2265) VOLUME 02 ISSUE 11 PAGES: 12-18 SJIF IMPACT FACTOR (2021: 5. 694) (2022: 5. 893) OCLC – 1121105677 METADATA IF – 5.654 Crossref O SGOGLE METADATA S SWORLDCAT MENDELEY

Therefore, it was possible to predict the development of sepsis during auto implantation based on monitoring the condition of the coat and feed intake. Motor activity at the same time shows no difference in the development of the septic process between the two indicators.

In this way, correlation analysis makes it possible to predict the outcome of auto implantation and the probability of rejection of the transplanted piece of thymus in rabbits. The established relationships between the parameters of cellular immunity and the indicators of physical growth and development of rabbits make it possible to predict the healing of the graft based on weekly weight gain and coat density. At the same time, a decrease in motor activity and food intake confirms the unfavorable outcome of thymus auto implantation.

REFERENCES

- Navruzova, Sh.I., Akhmedov, AT ""AUTOIMPLANTATION OF THYMUS IN SURGICAL CORRECTION OF CONGENITAL HEART DEFECTS." CENTRAL ASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES, - 2021. -Vol. 2.3 - (2021). – P.: 88-98.
- Navruzova Shakar Istamovna, Sa'dulloeva Iroda Kurbonovna, and Suleymanova Gulrukh Suleyman Qizi. "Correlation interrelation of immunological and hormonal indices in children with congenital heart diseases" European science review, - 2018, - No. 7-8, 2018, - pp. 139-141.
- 3. Navruzova, Sh. I. Thyroid-cortical status in C congenital heart defects in children / Sh. I. Navruzova, I. K. Sadulloeva, A. I. Ibragimov // Scientific dialogue: issues of medicine: collection of scientific papers IV international scientific conference, Samara, February 15,

2017. - Samara: TsNK MNIF "Social Science", 2017. - P. 8-9. – DOI 10.18411/spc-15-02-2017-03.

- Navruzova, Sh. I. The prevalence of congenital heart defects in children in the Bukhara region / Sh. I. Navruzova, I. K. Sadulloeva, Sh. U. i. Khikmatova // Internauka. 2019. No. 5-1 (87). S. 15-16.
- Loginova, N.P. Chetvertnykh V.A., Chemurzieva N.V. Immunomorphological processes in the thymus in congenital heart disease in children. Bulletin of new medical technologies. Electronic edition. - 2018. - 12 (4). - With. 260-264. doi: 10.24411/2075-4094-2018-16134
- 6. Linard, Yu.A. Infectious pathology in patients after radical correction of congenital heart defects. Forcire. 2018. (1). With. 30-35.
- 7. Smirnova, M.P. Kuzmina, L.N. Features of the state of the immune system in patients with different forms of myasthenia gravis and histological changes

8.

Budchanov, Yu.I. Cellular immunity // Educational and methodological manual on general immunology // Tver - 2008.-p-11.

- Mukhamedova Sh. T. Cytokine profile in newborns with infectious and inflammatory diseases in the dynamics of adaptation // Journal of Eurasian Bulletin of Pediatrics. 2019. no. 3. P. 3.
- Mukhamedova Sh. T. et al The prognostic significance of cytokines in the diagnosis of pathology of newborns. / Shakhnoza T. Mukhamedova, Dilnoza R. Hamraeva, Fazolat A. Karomatova. // Journal of Natural Remedies, 2021. - 22(1(1), - P. 119-123.
- Navruzova Sh.I., Mukhammedova Sh.T., Safarova Sh.U. Features of the cytokine status in newborns during the period of early adaptation, depending on the influence of



International Journal of Medical Sciences And Clinical Research (ISSN – 2771-2265)

METADATA

INDEXING

ダ WorldCat®
Mendeley

VOLUME 02 ISSUE 11 PAGES: 12-18

SJIF IMPACT FACTOR (2021: 5. 694) (2022: 5. 893)

OCLC - 1121105677 METADATA IF - 5.654

UNISC 2021 UNISC

Crossref 如 😵 Google

damaging factors // Eurasian Scientific Association, - 2018. - 7-1. – pp. 53-55

- Navruzova Sh.I., Rakhmonova Sh.K., Suleymanov S.F., & Rasulova O.T. (2015). The level of cytokines in children with bronchial asthma. Vyatka Medical Bulletin, - 2015. - (2 (46))., - S. 87-88.
- 13. Navruzova Shakar Istamovna et al. Cytokine diagnostics in the prognosis of critical conditions in newborns born to mothers infected with Covid-19 / Navruzova Shakar Istamovna, Baratov Sunnat Samiyevich // ACADEMICIA: An International Multidisciplinary Research Journal, - 2021. - Volume: 11, Issue: 10. -P 1794-1802. ISSN: 2249-7137. DOI: 10.5958/2249-7137.2021.02322.3
- 14. Navruzova, Sh.I., Akhmedov, A.T. "AUTOIMPLANTATION OF THYMUS IN SURGICAL CORRECTION OF CONGENITAL HEART DEFECTS" CENTRAL ASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES, - 2021. – Vol. 2.3 - (2021). – P.: 88-98.
- 15. Ахмедов А.Т., Особенности иммунной системы при врожденных пороков сердца, // EUROPEAN JOURNAL OF MODERN MEDICINE AND PRACTICE. 2022. Vol. 2 No. 3 EJMMP. C. 35-40. [Akhmedov A. T., Features of the immune system in congenital heart defects, // EUROPEAN JOURNAL OF MODERN MEDICINE AND PRACTICE. 2022. Vol. 2 no. 3 EJMMP. pp. 35-40 [in Russian]
- 16. Ахмедов А.Т., Сравнительная оценка иммунологических параметров лабораторных животных аутоимплантации тимуса в динамике наблюдения, // EUROPEAN JOURNAL OF MODERN MEDICINE AND PRACTICE. – 2022. - Vol. 2 No. 3: EJMMP. C. 40-45 [Akhmedov A. T., Comparative evaluation of the immunological parameters of laboratory

animals after thymus autoimplantation in the dynamics of observation, // EUROPEAN JOURNAL OF MODERN MEDICINE AND PRACTICE. - 2022. - Vol. 2 no. 3: EJMMP. C. 40-45 in Russian]

- Хидоятов, Б. А. Микроциркуляторное русло кишечника и поджелудочной железы и его особенности при экспериментальном сахарном диабете / Б. А. Хидоятов, А. Т. Ахмедов // Морфология. – 2008. – Т. 133. – № 2. – С. 145-146. – EDN JUTXTT.
- 18. Jalilova, Z. O. (2020). Concerning the issue of terms, having a place with various morphological classes (in view of the example of the terminologial arrangement of social action). Новый день в медицине, (4), 501-503.
- (2022). 19. Obidovna, D. Ζ. GENDER DIFFERENTIATION OF MASCULINE AND FEMININE VERBALIZATION. European International Journal of Multidisciplinary Research and Management Studies, 2(05), 59-
- 20. Obidovna, D. Z., & Sulaymonovich, D. S. (2022). Physical activity and its impact on human health and longevity. Достижения науки и образования, (2 (82)), 120-126.
 - Obidovna, D. Z. (2022). DISTINCTIVE FEATURES OF MALE AND FEMALE ORAL SPEECH IN MODERN ENGLISH. International Journal Of Literature And Languages, 2(10), 14-21.
- 22. Obidovna, D. Z. (2022). Speech Behavior and its Gender Specificity on the Basis of the Main English Language Variants. Middle European Scientific Bulletin, 22, 199-205.
- Джалилова, З. О., Хасанов, К. А., & Султонов,
 А. А. (2021). Роль научного управления в процессе обучения высококвалифицированных врачей в новом Узбекистане. Молодой ученый, (26), 377-379.

International Journal of Medical Sciences And Clinical Research (ISSN – 2771-2265) VOLUME 02 ISSUE 11 PAGES: 12-18 SJIF IMPACT FACTOR (2021: 5. 694) (2022: 5. 893) OCLC – 1121105677 METADATA IF – 5.654



 Obidovna, D. Z., & Sulaymonovich, D. S. (2022).
 THE CONCEPT OF" HEALTHY LIFESTYLE" IN PSYCHOLOGICAL RESEARCH. ResearchJet Journal of Analysis and Inventions, 3(06), 53-64.

- Obidovna, D. Z. (2022). A Speech Etiquette Formula for the Gender Communication Strategy. American Journal of Social and Humanitarian Research, 3(10), 44-50.
- **26.** Jo'rayev, S., & Djalilova, Z. (2022). NEUROLOGICAL STATUS OF CHILDREN WITH INTRAUTERINE DEVELOPMENTAL DELAY.
- 27. Obidovna, D. Z. (2021). Gender issues in foreign theoretical linguistics: concerning the history of the issue. Gender issues, 7(6).
- 28. Dzhalilova, Z. O., Hajdarova, N. S., & Tashpulatova, N. A. (2021). Latin in the Contemporary World. Молодой ученый, (24), 400-402.

